

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27873433	((@riad<"20031104" or @ad<"20031104"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:48
L2	133	L1 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L3	12	l2 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L4	11205	l1 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:49
L5	6	l4 and ((router near3 (command\$4 or operand\$4 or set\$9)) near9 prefix\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:52
L6	8	l4 and ((router near6 (command\$4 or operand\$4 or set\$9)) near9 prefix\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:52
L7	38	l4 and (prefix near5 ident\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:53
L8	12	l7 and (expirat\$9 or timeout or "time-out" or "time out")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:53
L9	0	l7 and ((expirat\$9 or timeout or "time-out" or "time out") near3 event\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:54

L10	0	i7 and ((expirat\$9 or timeout or "time-out" or "time out") near8 event\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:54
L11	4	i8 and (router near3 interface \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:55
L12	1833583	i1 and ((router\$4 or client\$4 or system\$4 or server\$4) near7 (execute\$4 or operat \$4 or proce\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:57
L13	10332	i12 and (((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:58
L14	1274	i13 and ((router\$4) near7 (execute\$4 or operat\$4 or proce\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:58
L15	27	i14 and (((address\$4 near3 prefix\$4) or (address\$4)) near6 ("non-numeric" or alphabet\$2 or nonnumeric or numeric\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:01
L16	0	i15 and ((router near3 (command\$4 or operand\$4 or set\$6)) near3 config\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 13:03
L17	0	i15 and ((address\$4 near3 prefix\$4) near5 ("non-numeric" or numeric)).clm.	US-PGPUB	OR	ON	2009/12/17 13:05
L18	0	i15 and ((address\$4 near3 prefix\$4) near5 (router\$4 near3 (operand\$4 or command\$4))).clm.	US-PGPUB	OR	ON	2009/12/17 13:05
S1	25274082	((@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:16
S2	0	S1 and ("router command" near3 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:18

S3	0	S1 and ("router command" near5 "address prefix")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:20
S4	502	S1 and ((router adj (config \$7 or manage\$4)) and (address adj3 identif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/05 21:25
S5	77	S4 and dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:01
S6	25274082	((@rld<"20031104" or @ad<"20031104"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:02
S7	0	S6 and (pars\$4 adj2 (router adj (command\$ or oper\$7)))	DERWENT	OR	ON	2007/07/06 10:03
S8	0	S6 and (pars\$4 near2 (router near2 (command\$ or oper\$7)))	DERWENT	OR	ON	2007/07/06 10:03
S9	2	S6 and ((pars\$4 or exec\$6) near2 (router near2 (command\$ or oper\$7)))	DERWENT	OR	ON	2007/07/06 10:07
S10	0	S6 and ((router adj2 (command or code)) adj2 exec\$6)	DERWENT	OR	ON	2007/07/06 10:05
S11	1	S6 and (router adj command \$2)	DERWENT	OR	ON	2007/07/06 10:06
S12	2	S6 and ((pars\$4 or exec\$6) near2 (router near2 (command\$ or oper\$7)))	DERWENT	OR	ON	2007/07/06 10:08
S13	87	S6 and ((pars\$4 or exec\$6) near2 (router near2 (command\$ or oper\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 10:10
S14	10	(US-20060117367-\$ or US-20050075914-\$ or US-20040193906-\$ or US-20040078286-\$ or US-20030225782-\$ or US-20020166063-\$).did. or (US-7233975-\$ or US-7036048-\$ or US-6959332-\$ or US-6724724-\$).did.	US-PGPUB; USPAT	OR	ON	2007/07/06 11:07
S15	5	S14 and (router adj command\$2)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:08
S16	13	S6 and ((router adj config \$6) near3 manag\$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 11:12

S17	160	S6 and ((router near3 opera \$5) near3 manag\$5)	US-PGPUB; USPAT	OR	ON	2007/07/06 14:12
S18	137	S17 and config\$7	US-PGPUB; USPAT	OR	ON	2007/07/06 14:13
S19	10	S18 and ios	US-PGPUB; USPAT	OR	ON	2007/07/06 14:16
S20	143	S6 and (router near3 (ios or cli))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:21
S21	427	S6 and (router near3 (operat \$4 adj system))	US-PGPUB; USPAT	OR	ON	2007/07/06 15:25
S22	447	S6 and (router near3 (operat \$4 adj system))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:29
S23	447	S6 and (router near3 (operat \$4 adj system))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S24	0	S6 and (((router adj command\$2) near4 (address adj prefix)) near4 ((address or prefix) adj value))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S25	0	S6 and ((router adj command\$2) near4 (address adj prefix))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:36
S26	386	S23 and config\$7	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:38
S27	326	S26 and manag\$6	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 15:39
S28	7	S6 and ((router adj2 config \$6) adj3 file)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/06 16:01
S29	1	S6 and (rfc adj "2894")	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:45
S30	25274082	((@rlad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 19:46
S31	46	S30 and (prefix adj server)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08

S32	40119	S31 and address prefix	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:08
S33	5	S31 and (address adj prefix)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:11
S34	5	S31 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:12
S35	445	S30 and (prefix adj value)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:22
S36	5	S35 and (address adj allocat \$4)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:24
S37	39	S35 and (prefix near4 router)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S38	0	S35 and (router adj (operand or command))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:29
S39	11	S35 and (router adj (opera \$5))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S40	0	S35 and (router adj command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:31
S41	4	S35 and (router near3 command)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S42	95	S35 and (operand)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:33
S43	12	S42 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:35
S44	14	S35 and ios	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37

S45	1	S44 and router	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:37
S46	16	S35 and (router adj3 config \$7)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/07 20:38
S47	27728122	((@rld<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:14
S48	0	S47 and ((address adj prefix) near4 non-numeric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:14
S49	34	S47 and ((address adj prefix) near4 domain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:17
S50	10	S47 and ((address adj prefix) near4 name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:20
S51	0	S47 and (((logical adj2 name \$2) near3 (correspond\$4 adj3 address\$3)) near5 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:27
S52	0	S47 and (((logic\$3 adj4 name\$2) near6 (correspond \$4 adj4 address\$3)) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:28
S53	0	S47 and (((logic\$3 adj4 name\$2) and (correspond\$4 adj4 address\$3)) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:28
S54	13	S47 and ((logic\$3 adj4 name \$2) near6 prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:29
S55	1	((US-5701462-\$).did.	USPAT	OR	ON	2008/04/10 20:33
S56	0	S55 and config	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:33

S57	0	S55 and router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:33
S58	0	S47 and ((prefix near3 (logic \$2 adj4 name)) and (router near4 (config\$7 or setting \$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:36
S59	139	S47 and ((logic\$2 adj4 name) and (router near4 (config\$7 or setting\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:36
S60	14	S47 and ((logic\$2 adj4 name) and (router near2 (operand or command)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:55
S61	0	S47 and ((logic\$2 adj4 name) and (router near2 (operand\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 20:58
S62	45	S47 and ((address adj prefix) near2 (value or flag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 21:03
S63	27728122	((@rlad<"20031104" or @ad<"20031104"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:01
S64	0	S63 and (router near4 (("name service" or nameserver) near3 (file or config\$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:01
S65	2	S63 and (router and (declaration adj command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:02
S66	953	S63 and (router and ((configuration or config or setting) adj command\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:04
S67	19	S66 and (address adj prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 12:04

S68	601846	S67 and dhcp server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:41
S69	0	S67 and (dhcp adj server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:41
S70	0	S67 and (dhcp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:42
S71	0	S66 and (dhcp near3 expire \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:47
S72	66	S63 and (dhcp near3 expire \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:47
S73	45	S72 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:52
S74	2	"7328266".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:53
S75	1	S74 and (dhcp near3 expire \$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:54
S76	1	S75 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 16:56
S77	121	S63 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 17:08
S78	18	S77 and dhcp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/11 17:09

S79	2	"20040078485".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 20:05
S80	2	"20030126252".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/22 21:42
S81	27873433	((@lad<"20031104" or @ad<"20031104")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S82	1101	S81 and (router and ((configuration or config or setting) adj command\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S83	21	S82 and (address adj prefix)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:36
S84	133	S81 and (address near3 (prefix and suffix))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:38
S85	1101	S81 and (router and ((configuration or config or setting) adj command\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:38
S86	34	((US-20030182445-\$ or US- 20060005014-\$ or US- 20040032837-\$ or US- 20030225782-\$ or US- 20050075914-\$ or US- 20020065941-\$ or US- 20040158621-\$ or US- 20040193906-\$ or US- 20040078286-\$ or US- 20060117367-\$ or US- 20040133675-\$ or US- 20040223491-\$ or US- 20020172207-\$ or US- 20040196854-\$ or US- 20020166063-\$ or US- 20060059253-\$ or US- 20040172412-\$ or US- 20040203799-\$ or US- 20030018889-\$ or US- 20040179527-\$ or US- 20040105420-\$ or US-	US-PGPUB; USPAT	OR	ON	2009/12/17 12:39

		20040111529-\$ or US-20020021675-\$ or US-20050021752-\$ or US-20040088544-\$).did. or (US-7072946-\$ or US-7162537-\$ or US-6724724-\$ or US-7036048-\$ or US-7233975-\$ or US-6959332-\$ or US-5701462-\$ or US-5842214-\$ or US-7349382-\$).did.				
S87	3	S86 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:42
S88	12	S84 and ((709/242.ccls.) or (709/223.ccls.) or (709/227.ccls.))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:42
S89	0	S88 and (router and ((configuration or config or setting) adj command\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/17 12:43

12/17/2009 1:10:01 PM

C:\Documents and Settings\asikri\My Documents\EAST Workspaces\10699889\search 1.wsp